

AUTHOR INDEX TO VOLUME 125

- Alper, J.S., H. Dothe and M.A. Lowe, Scaled quantum mechanical calculations of the vibrational structure of thiirane, thiirene, and their deuterated isotopomers 125 (1988) 77
- Bässler, H., see S.D.D.V. Rughooputh 125 (1988) 355
- Becker, A.C., U. Schurath, H. Dubost and J.P. Galaup, Luminescence of metastable $^{16}\text{O}_2$ ($^{18}\text{O}_2$) in solid argon: relaxation and energy transfer 125 (1988) 321
- Black, J.F. and I. Powis, Photofragment investigations of the 280 nm photodissociation of methyl iodide using REMPI I atom detection 125 (1988) 375
- Bloor, D., see S.D.D.V. Rughooputh 125 (1988) 355
- Bock, Ch.W., Yu.N. Panchenko and S.V. Krasnoshchiokov, An ab initio prediction of structures and vibrational frequencies of high-energy rotamers of glyoxal and acrolein 125 (1988) 63
- Brandt, D., see K. Wynne 125 (1988) 211
- Brion, C.E., see G. Cooper 125 (1988) 307
- Brühlmann, U., see A. Ticktin 125 (1988) 403
- Bruno, A.E., see A. Ticktin 125 (1988) 403
- Čársky, P., H.L. Selzle and E.W. Schlag, Ab initio calculations on the structure of the benzene dimer 125 (1988) 165
- Černušák, I., J. Noga, G.H.F. Dierksen and A.J. Sadlej, A study of the reliability of different many-body methods: potential energy curve for the ground state of Be_2 125 (1988) 255
- Chien, F., Y. Kashimori, K. Nishimoto and O. Tanimoto, Simulations on soliton dynamics in polyacetylene systems 125 (1988) 269
- Coffey, W.T., S.G. McGoldrick and K.P. Quinn, Inertial effects in the theory of dielectric and Kerr effect relaxation of an assembly of non-interacting polar molecules in strong alternating fields. II. The effect of higher-order terms in the distribution function 125 (1988) 99
- Coffey, W.T., S.G. McGoldrick and P.J. Clegg, Inertial effects in the theory of dielectric and Kerr effect relaxation. III. Assemblies of nondipolar anisotropically polarizable molecules in alternating and pulsed fields 125 (1988) 119
- Cooper, G., T. Ibuki, Y. Iida and C.E. Brion, Absolute dipole oscillator strengths for photoabsorption and the molecular and dissociative photoionization of acetylene 125 (1988) 307
- Clegg, P.J., see W.T. Coffey 125 (1988) 119
- Dakkouri, M., see J.R. Durig 125 (1988) 299
- Davidsson, J. and G. Nyman, Extended Langevin model for rate constant calculations of exothermic atom-diatom reactions. Application to $\text{O}+\text{OH}$ 125 (1988) 171
- Davister, M., see R. Locht 125 (1988) 425
- Dierksen, G.H.F., see I. Černušák 125 (1988) 255
- Distefano, G., see A. Modelli 125 (1988) 389
- Docker, M.P., Alignment measurements using one, two or three photons 125 (1988) 185
- Dothe, H., see J.S. Alper 125 (1988) 77
- Dubost, H., see A.C. Becker 125 (1988) 321

- Dunlap, B.I., Symmetry and spin density functional theory 125 (1988) 89
- Durig, J.R., T.J. Geyer, P. Groner and M. Dakkouri, Spectra and structure of small ring compounds. L. Microwave spectrum of cyclobutylgermane 125 (1988) 299
- Fraser, G.T., R.D. Suenram, F.J. Lovas and W.J. Stevens, Microwave spectrum of the $\text{CH}_3\text{OH}-\text{NH}_3$ complex 125 (1988) 31
- Galaup, J.P., see A.C. Becker 125 (1988) 321
- Geyer, T.J., see J.R. Durig 125 (1988) 299
- Girard, C., C. Girardet and B. Silvi, Van der Waals coefficients for molecules adsorbed on metal surfaces 125 (1988) 261
- Girardet, C., see C. Girard 125 (1988) 261
- Grądzki, F., The infinite dilution activity coefficient of ions in a solvent of polarizable hard spheres 125 (1988) 247
- Groner, P., see J.R. Durig 125 (1988) 299
- Grotemeyer, J., see K. Walter 125 (1988) 155
- Guerra, M., see A. Modelli 125 (1988) 389
- Hamada, Y., M. Tsuboi, I. Ikeda, M. Nakata and M. Tasumi, Infrared spectrum of cyclopropylamine 125 (1988) 45
- Hamada, Y., M. Tsuboi, M. Nakata and M. Tasumi, Infrared spectrum of isopropylamine 125 (1988) 55
- Hiraoka, K., Determination of the stabilities of $\text{O}_3^- (\text{N}_2)_n$, $\text{O}_3^- (\text{O}_2)_n$ and $\text{O}_4^- (\text{N}_2)_n$ from measurements of the gas-phase ion equilibria 125 (1988) 439
- Huber, J.R., see A. Ticktin 125 (1988) 403
- Ibuki, T., see G. Cooper 125 (1988) 307
- Iida, Y., see G. Cooper 125 (1988) 307
- Ikeda, I., see Y. Hamada 125 (1988) 45
- Ito, Y., see I. Tokue 125 (1988) 347
- Izawa, M., see S. Kita 125 (1988) 415
- Jankowiak, R., see S.D.D.V. Rughooputh 125 (1988) 355
- Jones, D., see A. Modelli 125 (1988) 389
- Kashimori, Y., see F. Chien 125 (1988) 269
- Kaye, J.A. and A. Kuppermann, Mass effect in quantum mechanical collision-induced dissociation in collinear reactive atom-diatom molecule collisions 125 (1988) 279
- Kikuma, J., see H. Umemoto 125 (1988) 397
- Kita, S., H. Tanuma and M. Izawa, Momentum transfer and total differential cross sections in the impulsive Na^+-N_2 and Na^+-CO collisions 125 (1988) 415
- Klokishner, S.I. and B.S. Tsukerblat, Charge ordering in mixed-valence coordination compounds 125 (1988) 11
- Krasnoshchiokov, S.V., see Ch.W. Bock 125 (1988) 63
- Kuppermann, A., see J.A. Kaye 125 (1988) 279
- Ligot, M., see R. Locht 125 (1988) 425
- Lindner, J., see K. Walter 125 (1988) 155

- Locht, R., Ch. Servais, M. Ligot, M. Davister and J. Momigny, The dissociative electroionization of ammonia and ammonia- d_3 . II. The H^+ and H_2^+ dissociation channels 125 (1988) 425
- Lovas, F.J., see G.T. Fraser 125 (1988) 31
- Lowe, M.A., see J.S. Alper 125 (1988) 77
- Lund, A., see L. Sjöqvist 125 (1988) 293
- Marconi, G., see E. Venuti 125 (1988) 1
- Maruani, J., see L. Sjöqvist 125 (1988) 293
- McGoldrick, S.G., see W.T. Coffey 125 (1988) 99
- McGoldrick, S.G., see W.T. Coffey 125 (1988) 119
- Meath, W.J., see R.A. Thuraisingham 125 (1988) 129
- Modelli, A., G. Distefano, M. Guerra, D. Jones and S. Rossini, Comparison of the electron-acceptor properties of nitrogen and phosphorous benzene derivatives by means of electron transmission spectroscopy and MS $X\alpha$ calculations 125 (1988) 389
- Momigny, J., see R. Loch 125 (1988) 425
- Mortensen, O.S., W. Siebrand and A.W. Tarr, Local-mode analysis of radiationless triplet decay in condensed aromatic hydrocarbons 125 (1988) 231
- Müller, M., see K. Wynne 125 (1988) 211
- Müller, M., K. Wynne and J.D.W. van Voorst, The interpretation of echo experiments 125 (1988) 225
- Nakata, M., see Y. Hamada 125 (1988) 45
- Nakata, M., see Y. Hamada 125 (1988) 55
- Nishimoto, K., see F. Chien 125 (1988) 269
- Nishimura, Y., see M. Tsuji 125 (1988) 337
- Noga, J., see I. Černušák 125 (1988) 255
- Nyman, G., see J. Davidsson 125 (1988) 171
- Panchenko, Yu.N., see Ch.W. Bock 125 (1988) 63
- Pančoška, P., see L. Skála 125 (1988) 21
- Phillips, D., see S.D.D.V. Rughooputh 125 (1988) 355
- Powis, I., see J.F. Black 125 (1988) 375
- Quinn, K.P., see W.T. Coffey 125 (1988) 99
- Rossini, S., see A. Modelli 125 (1988) 389
- Rughooputh, S.D.D.V., D. Bloor, D. Phillips, R. Jankowiak, L. Schütz and H. Bässler, Fluorescence studies of polydiacetylenes in 2-methyltetrahydrofuran vitreous glasses at low temperatures 125 (1988) 355
- Sadlej, A.J., see I. Černušák 125 (1988) 255
- Safarzadeh-Amiri, A., Effect of solvent polarity and viscosity on the decay dynamics of an intramolecular charge-transfer complex: 4-dicyanomethylene-1,2,3,4-tetrahydro-methylquinoline 125 (1988) 145
- Schlag, E.W., see K. Walter 125 (1988) 155
- Schlag, E.W., see P. Čársky 125 (1988) 165
- Schurath, U., see A.C. Becker 125 (1988) 321
- Schütz, L., see S.D.D.V. Rughooputh 125 (1988) 355

- Selzle, H.L., see P. Čársky 125 (1988) 165
- Servais, Ch., see R. Loch 125 (1988) 425
- Siebrand, W., see O.S. Mortensen 125 (1988) 231
- Silvi, B., see C. Girard 125 (1988) 261
- Sjöqvist, L., A. Lund and J. Maruani, An ESR investigation of the dynamical behavior of the cyclopentane cation in CF_3CCl_3 125 (1988) 293
- Skála, L. and P. Pančoška, Interpolation formula for physical properties of polypeptides as a function of the number of amino acid residues 125 (1988) 21
- Stevens, W.J., see G.T. Fraser 125 (1988) 31
- Suenram, R.D., see G.T. Fraser 125 (1988) 31
- Tanimoto, O., see F. Chien 125 (1988) 269
- Tanuma, H., see S. Kita 125 (1988) 415
- Tarr, A.W., see O.S. Mortensen 125 (1988) 231
- Tasumi, M., see Y. Hamada 125 (1988) 45
- Tasumi, M., see Y. Hamada 125 (1988) 55
- Thuraisingham, R.A. and W.J. Meath, Orientationally averaged single- and multi-photon spectra. An application to molecules interacting with a static electric field 125 (1988) 129
- Ticktin, A., A.E. Bruno, U. Brühlmann and J.R. Huber, $\text{NO}(X^2\Pi)$ rotational distributions from the photodissociation of NOCl and NOBr at 450 and 470 nm 125 (1988) 403
- Tokue, I. and Y. Ito, Electron-impact-induced light emission from CBr_4 , CHBr_3 and CFBr_3 125 (1988) 347
- Tsuboi, M., see Y. Hamada 125 (1988) 45
- Tsuboi, M., see Y. Hamada 125 (1988) 55
- Tsuji, M., K. Yamaguchi and Y. Nishimura, $\text{CO}(d^3\Delta_1-a^3\Pi_r, e^3\Sigma^--a^3\Pi_r, a'^3\Sigma^+-a^3\Pi_r)$ emissions resulting from the energy-transfer reaction between metastable $\text{Xe}(^3P_2)$ atoms and CO at thermal energy 125 (1988) 337
- Tsukerblat, B.S., see S.I. Klokishner 125 (1988) 11
- Tsunashima, S., see H. Umemoto 125 (1988) 397
- Umemoto, H., J. Kikuma and S. Tsunashima, Quenching of the translationally hot and thermalized $\text{NH}(c^1\Pi)$ radicals by simple molecules 125 (1988) 397
- Van Voorst, J.D.W., see K. Wynne 125 (1988) 211
- Van Voorst, J.D.W., see M. Müller 125 (1988) 225
- Venuti, E. and G. Marconi, Theoretical studies on the two-photon vibronic spectra of azines: pyridine, pyrazine and pyrimidine 125 (1988) 1
- Walter, K., J. Lindner, J. Grottemeyer and E.W. Schlag, Biomolecules in the gas phase. V. Small peptides investigated by multiphoton mass spectrometry 125 (1988) 155
- Wynne, K., M. Müller, D. Brandt and J.D.W. van Voorst, Diagrammatic density matrix analysis of the Raman photon echo 125 (1988) 211
- Wynne, K., see M. Müller 125 (1988) 225
- Yamaguchi, K., see M. Tsuji 125 (1988) 337

LIST OF SUBJECTS

1 METHODS

1.1 Theoretical

- 1.1.1 Group theory and algebras
- 1.1.2 Classical mechanics *
- 1.1.3 Quantized field theory
- 1.1.4 Many body and quasiparticle approaches
- 1.1.5 Coupling schemes and perturbative treatments *
- 1.1.6 Relativistic quantum mechanics
- 1.1.7 Transport quantum mechanics *
- 1.1.8 Equilibrium statistical mechanics *
- 1.1.9 Statistical mechanics of stationary states *
- 1.1.10 Non-equilibrium thermodynamic and hydrodynamic theories
- 1.1.11 Ab initio schemes for stationary properties *
- 1.1.12 Computational and simulation methods *
- 1.1.13 Molecular dynamics and scattering theory *

1.2 Experimental

- 1.2.1 Magnetic resonances *
- 1.2.2 Cyclotron resonance
- 1.2.3 Microwave spectroscopy *
- 1.2.4 Infrared spectroscopy *
- 1.2.5 Raman spectroscopy
- 1.2.6 Visible and UV spectroscopy *
- 1.2.7 Fluorescence spectroscopy *
- 1.2.8 Photoelectron and Auger spectroscopy
- 1.2.9 X-ray spectroscopy
- 1.2.10 Electron impact spectroscopy *
- 1.2.11 Laser methods *
- 1.2.12 Picosecond spectroscopy *
- 1.2.13 Non-linear optical spectroscopy *
- 1.2.14 Synchrotron spectroscopies
- 1.2.15 Coherent optical spectroscopy *
- 1.2.16 Optical pumping
- 1.2.17 Multiple resonance spectroscopy *
- 1.2.18 Optoacoustic spectroscopy
- 1.2.19 Atomic and molecular beam techniques *
- 1.2.20 Time-resolved experiments *
- 1.2.21 Mass spectrometry *
- 1.2.22 Radiolysis
- 1.2.23 Mössbauer spectroscopy
- 1.2.24 X-ray, electron and neutron diffraction
- 1.2.25 Neutron scattering
- 1.2.26 Light scattering
- 1.2.27 Field emission and field ionization
- 1.2.28 Measurement of macroscopic variables

2 OBJECTS

2.1 Bulk systems

- 2.1.1 Gases*
- 2.1.2 Supersonic beams
- 2.1.3 Liquids neat
- 2.1.4 Liquid mixtures and solutions *
- 2.1.5 Crystals *
- 2.1.5.1 neat
- 2.1.5.2 mixed
- 2.1.6 Glasses *
- 2.1.7 Liquid crystals
- 2.1.8 Polymers *
- 2.1.9 Semiconductors
- 2.1.10 Metals and alloys
- 2.1.11 Thin films
- 2.1.12 Surfaces *
- 2.1.13 Low-dimensional materials
- 2.1.14 Dielectrics *
- 2.1.15 Plasmas
- 2.1.16 Biological systems

2.2 Microscopic systems

- 2.2.1 Atoms
- 2.2.2 Molecules (neutral and ionic) *
- 2.2.2.1 diatomic *
- 2.2.2.2 small polyatomics *
- 2.2.2.3 aromatics *
- 2.2.2.4 other large
- 2.2.2.5 polymeric and biological *
- 2.2.3 Molecular aggregates *
- 2.2.3.1 dimers
- 2.2.3.2 van der Waals molecules *
- 2.2.3.3 clusters
- 2.2.3.4 complexes *
- 2.2.4 Free radicals (including hydronium and muonium) *
- 2.2.5 Quasiparticles (including excitons)
- 2.2.6 Defects and impurities *
- 2.2.7 Ions and charge carriers

* Denotes subjects covered in this volume

3 PHENOMENA

- 3.1 Molecular structure *
- 3.2 Vibrations and rotations of molecules *
- 3.3 Electronic structure and states *
- 3.4 Electric and magnetic properties
- 3.5 Spin splittings *
- 3.6 Optical activity *
- 3.7 Molecular interactions *
- 3.8 Spectral bandshapes and intensities *
- 3.9 Coupling of electronic and nuclear motion *
- 3.10 Energy transfer processes *
- 3.11 Molecular photophysical processes *
- 3.12 Intramolecular dynamics *
- 3.12.1 radiationless transitions *
- 3.12.2 vibrational energy redistribution (including vibrational dissociation)
- 3.13 Luminescence spectra, yields and lifetimes *
- 3.14 Coherence loss processes *
- 3.15 Non-linear responses (including optical) *
- 3.16 Multiphoton phenomena *
- 3.17 Reactions (including dissociation) *
- 3.17.1 gas phase *
- 3.17.2 condensed phase
- 3.17.3 photochemical *
- 3.18 Tunnelling
- 3.19 Electron transfer *
- 3.20 Positron annihilation
- 3.21 Ionization (including Rydberg states) *
- 3.22 Molecular motion (including diffusive) *
- 3.23 Isotopic effects *
- 3.24 Fluctuations and noise
- 3.25 Collective motion and excitations *
- 3.26 Surface effects and catalysis *
- 3.27 Thermodynamic and transport properties
- 3.28 Structure of solids and liquids
- 3.29 Critical phenomena
- 3.30 Phase transitions *

SUBJECT INDEX TO VOLUME 125

METHODS

Theoretical

Classical mechanics

- Extended Langevin model for rate constant calculations of exothermic atom-diatom reactions. Application to O+OH, J. Davidsson and G. Nyman 125 (1988) 171

Coupling schemes and perturbative treatments

- Theoretical studies on the two-photon vibronic spectra of azines: pyridine, pyrazine and pyrimidine, E. Venuti and G. Marconi 125 (1988) 1
 Alignment measurements using one, two or three photons, M.P. Docker 125 (1988) 185
 Diagrammatic density matrix analysis of the Raman photon echo, K. Wynne, M. Müller, D. Brandt and J.D.W. van Voorst 125 (1988) 211
 The interpretation of echo experiments, M. Müller, K. Wynne and J.D.W. van Voorst 125 (1988) 225
 Local-mode analysis of radiationless triplet decay in condensed aromatic hydrocarbons, O.S. Mortensen, W. Siebrand and A.W. Tarr 125 (1988) 231

Transport quantum mechanics

- Local-mode analysis of radiationless triplet decay in condensed aromatic hydrocarbons, O.S. Mortensen, W. Siebrand and A.W. Tarr 125 (1988) 231

Equilibrium statistical mechanics

- The infinite dilution activity coefficient of ions in a solvent of polarizable hard spheres, F. Grządki 125 (1988) 247

Statistical mechanics of stationary states

- Charge ordering in mixed-valence coordination compounds, S.I. Klokishner and B.S. Tsukerblat 125 (1988) 11
 Interpolation formula for physical properties of polypeptides as a function of the number of amino acid residues, L. Skála and P. Pančoška 125 (1988) 21

Ab initio schemes for stationary properties

- Interpolation formula for physical properties of polypeptides as a function of the number of amino acid residues, L. Skála and P. Pančoška 125 (1988) 21
 Microwave spectrum of the CH₃OH-NH₃ complex, G.T. Fraser, R.D. Suenram, F.J. Lovas and W.J. Stevens 125 (1988) 31
 Infrared spectrum of cyclopropylamine, Y. Hamada, M. Tsuboi, I. Ikeda, M. Nakata and M. Tasumi 125 (1988) 45
 Infrared spectrum of isopropylamine, Y. Hamada, M. Tsuboi, M. Nakata and M. Tasumi 125 (1988) 55

- An ab initio prediction of structures and vibrational frequencies of high-energy rotamers of glyoxal and acrolein, Ch.W. Bock, Yu.N. Panchenko and S.V. Krasnoshchiokov 125 (1988) 63
- Scaled quantum mechanical calculations of the vibrational structure of thiirane, thiirene, and their deuterated isotopomers, J.S. Alper, H. Dothe and M.A. Lowe 125 (1988) 77
- Symmetry and spin density functional theory, B.I. Dunlap 125 (1988) 89
- Ab initio calculations on the structure of the benzene dimer, P. Čársky, H.L. Selzle and E.W. Schlag 125 (1988) 165
- A study of the reliability of different many-body methods: potential energy curve for the ground state of Be_2 , I. Černušák, J. Noga, G.H.F. Dierksen and A.J. Sadlej 125 (1988) 255
- Van der Waals coefficients for molecules adsorbed on metal surfaces, C. Girard, C. Girardet and B. Silvi 125 (1988) 261
- Computational and simulation methods*
- Symmetry and spin density functional theory, B.I. Dunlap 125 (1988) 89
- Orientationally averaged single- and multi-photon spectra. An application to molecules interacting with a static electric field, R.A. Thuraishingham and W.J. Meath 125 (1988) 129
- Simulations on soliton dynamics in polyacetylene systems, F. Chien, Y. Kashimori, K. Nishimoto and O. Tanimoto 125 (1988) 269
- Molecular dynamics and scattering theory*
- Mass effect in quantum mechanical collision-induced dissociation in collinear reactive atom-diatom molecule collisions, J.A. Kaye and A. Kuppermann 125 (1988) 279
- Experimental**
- Magnetic resonances*
- An ESR investigation of the dynamical behavior of the cyclopentane cation in CF_3CCl_3 , L. Sjöqvist, A. Lund and J. Maruani 125 (1988) 293
- Microwave spectroscopy*
- Microwave spectrum of the $\text{CH}_3\text{OH}-\text{NH}_3$ complex, G.T. Fraser, R.D. Suenram, F.J. Lovas and W.J. Stevens 125 (1988) 31
- Spectra and structure of small ring compounds. L. Microwave spectrum of cyclobutylgermane, J.R. Durig, T.J. Geyer, P. Groner and M. Dakkouri 125 (1988) 299
- Infrared spectroscopy*
- Infrared spectrum of cyclopropylamine, Y. Hamada, M. Tsuboi, I. Ikeda, M. Nakata and M. Tasumi 125 (1988) 45
- Infrared spectrum of isopropylamine, Y. Hamada, M. Tsuboi, M. Nakata and M. Tasumi 125 (1988) 55
- An ab initio prediction of structures and vibrational frequencies of high-energy rotamers of glyoxal and acrolein, Ch.W. Bock, Yu.N. Panchenko and S.V. Krasnoshchiokov 125 (1988) 63
- Visible and UV spectroscopy*
- Absolute dipole oscillator strengths for photoabsorption and the molecular and dissociative photoionization of acetylene, G. Cooper, T. Ibuki, Y. Iida and C.E. Brion 125 (1988) 307

Fluorescence spectroscopy

- Effect of solvent polarity and viscosity on the decay dynamics of an intramolecular charge-transfer complex: 4-dicyanomethylene-1,2,3,4-tetrahydromethylquinoline, A. Safarzadeh-Amiri 125 (1988) 145
- Luminescence of metastable $^{16}\text{O}_2$ ($^{18}\text{O}_2$) in solid argon: relaxation and energy transfer, A.C. Becker, U. Schurath, H. Dubost and J.P. Galaup 125 (1988) 321
- $\text{CO}(\text{d}^3\Delta_1\text{--a}^3\Pi, \text{e}^3\Sigma\text{--a}^3\Pi, \text{a}'^3\Sigma^+\text{--a}^3\Pi_r)$ emissions resulting from the energy-transfer reaction between metastable $\text{Xe}(^3\text{P}_2)$ atoms and CO at thermal energy, M. Tsuji, K. Yamaguchi and Y. Nishimura 125 (1988) 337
- Electron-impact-induced light emission from CBr_4 , CHBr_3 and CFBr_3 , I. Tokue and Y. Ito 125 (1988) 347
- Fluorescence studies of polydiacetylenes in 2-methyltetrahydrofuran vitreous glasses at low temperatures, S.D.D.V. Rughooputh, D. Bloor, D. Phillips, R. Jankowiak, L. Schütz and H. Bässler 125 (1988) 355

Electron impact spectroscopy

- Absolute dipole oscillator strengths for photoabsorption and the molecular and dissociative photoionization of acetylene, G. Cooper, T. Ibuki, Y. Iida and C.E. Brion 125 (1988) 307
- Comparison of the electron-acceptor properties of nitrogen and phosphorous benzene derivatives by means of electron transmission spectroscopy and MS $X\alpha$ calculations, A. Modelli, G. Distefano, M. Guerra, D. Jones and S. Rossini 125 (1988) 389

Laser methods

- Biomolecules in the gas phase. V. Small peptides investigated by multiphoton mass spectrometry, K. Walter, J. Lindner, J. Grotemeyer and E.W. Schlag 125 (1988) 155
- Photofragment investigations of the 280 nm photodissociation of methyl iodide using REMPI I atom detection, J.F. Black and I. Powis 125 (1988) 375
- Quenching of the translationally hot and thermalized $\text{NH}(^1\Pi)$ radicals by simple molecules, H. Umemoto, J. Kikuma and S. Tsunashima 125 (1988) 397
- $\text{NO}(^2\Pi)$ rotational distributions from the photodissociation of NOCl and NOBr at 450 and 470 nm, A. Tickin, A.E. Bruno, U. Brühlmann and J.R. Huber 125 (1988) 403

Picosecond spectroscopy

- Inertial effects in the theory of dielectric and Kerr effect relaxation of an assembly of non-interacting polar molecules in strong alternating fields. II. The effect of higher-order terms in the distribution function, W.T. Coffey, S.G. McGoldrick and K.P. Quinn 125 (1988) 99
- Inertial effects in the theory of dielectric and Kerr effect relaxation. III. Assemblies of non-dipolar anisotropically polarizable molecules in alternating and pulsed fields, W.T. Coffey, S.G. McGoldrick and P.J. Cregg 125 (1988) 119
- Diagrammatic density matrix analysis of the Raman photon echo, K. Wynne, M. Müller, D. Brandt and J.D.W. van Voorst 125 (1988) 211

Non-linear optical spectroscopy

- Inertial effects in the theory of dielectric and Kerr effect relaxation. III. Assemblies of non-dipolar anisotropically polarizable molecules in alternating and pulsed fields, W.T. Coffey, S.G. McGoldrick and P.J. Cregg 125 (1988) 119
- Diagrammatic density matrix analysis of the Raman photon echo, K. Wynne, M. Müller, D. Brandt and J.D.W. van Voorst 125 (1988) 211
- The interpretation of echo experiments, M. Müller, K. Wynne and J.D.W. van Voorst 125 (1988) 225

Coherent optical spectroscopy

- Diagrammatic density matrix analysis of the Raman photon echo, K. Wynne, M. Müller, D. Brandt and J.D.W. van Voorst 125 (1988) 211
- The interpretation of echo experiments, M. Müller, K. Wynne and J.D.W. van Voorst 125 (1988) 225

Multiple resonance spectroscopy

- Photofragment investigations of the 280 nm photodissociation of methyl iodide using REMPI I atom detection, J.F. Black and I. Powis 125 (1988) 375

Atomic and molecular beam techniques

- Ab initio calculations on the structure of the benzene dimer, P. Čársky, H.L. Selzle and E.W. Schlag 125 (1988) 165
- CO($d^3\Delta_1-a^3\Pi_r$, $e^3\Sigma^- - a^3\Pi_r$, $a'^3\Sigma^+ - a^3\Pi_r$) emissions resulting from the energy-transfer reaction between metastable Xe(3P_2) atoms and CO at thermal energy, M. Tsuji, K. Yamaguchi and Y. Nishimura 125 (1988) 337
- Momentum transfer and total differential cross sections in the impulsive Na⁺-N₂ and Na⁺-CO collisions, S. Kita, H. Tanuma and M. Izawa 125 (1988) 415

Time-resolved experiments

- Effect of solvent polarity and viscosity on the decay dynamics of an intramolecular charge-transfer complex: 4-dicyanomethylene-1,2,3,4-tetrahydromethylquinoline, A. Safarzadeh-Amiri 125 (1988) 145
- The interpretation of echo experiments, M. Müller, K. Wynne and J.D.W. van Voorst 125 (1988) 225
- Fluorescence studies of polydiacetylenes in 2-methyltetrahydrofuran vitreous glasses at low temperatures, S.D.D.V. Rughooputh, D. Bloor, D. Phillips, R. Jankowiak, L. Schütz and H. Bässler 125 (1988) 355
- Quenching of the translationally hot and thermalized NH($c^1\Pi$) radicals by simple molecules, H. Umemoto, J. Kikuma and S. Tsunashima 125 (1988) 397

Mass spectrometry

- Biomolecules in the gas phase. V. Small peptides investigated by multiphoton mass spectrometry, K. Walter, J. Lindner, J. Grotemeyer and E.W. Schlag 125 (1988) 155
- The dissociative electroionization of ammonia and ammonia- d_3 . II. The H⁺ and H₂⁺ dissociation channels, R. Loch, Ch. Servais, M. Ligot, M. Davister and J. Momigny 125 (1988) 425
- Determination of the stabilities of O₃⁻(N₂)_m, O₃⁻(O₂)_m and O₄⁻(N₂)_n from measurements of the gas-phase ion equilibria, K. Hiraoka 125 (1988) 439

OBJECTS**Bulk systems***Gases*

- Spectra and structure of small ring compounds. L. Microwave spectrum of cyclobutylgermane, J.R. Durig, T.J. Geyer, P. Groner and M. Dakkouri 125 (1988) 299
- CO($d^3\Delta_1-a^3\Pi_r$, $e^3\Sigma^- - a^3\Pi_r$, $a'^3\Sigma^+ - a^3\Pi_r$) emissions resulting from the energy-transfer reaction between metastable Xe(3P_2) atoms and CO at thermal energy, M. Tsuji, K. Yamaguchi and Y. Nishimura 125 (1988) 337

- Comparison of the electron-acceptor properties of nitrogen and phosphorous benzene derivatives by means of electron transmission spectroscopy and MS X α calculations, A. Modelli, G. Distefano, M. Guerra, D. Jones and S. Rossini 125 (1988) 389
- NO(X²II) rotational distributions from the photodissociation of NOCl and NOBr at 450 and 470 nm, A. Ticktin, A.E. Bruno, U. Brühlmann and J.R. Huber 125 (1988) 403
- Liquid mixtures and solutions*
- Effect of solvent polarity and viscosity on the decay dynamics of an intramolecular charge-transfer complex: 4-dicyanomethylene-1,2,3,4-tetrahydromethylquinoline, A. Safarzadeh-Amiri 125 (1988) 145
- The infinite dilution activity coefficient of ions in a solvent of polarizable hard spheres, F. Grządziński 125 (1988) 247
- Crystals*
- Charge ordering in mixed-valence coordination compounds, S.I. Klokishner and B.S. Tsukerblat 125 (1988) 11
- Glasses*
- Fluorescence studies of polydiacetylenes in 2-methyltetrahydrofuran vitreous glasses at low temperatures, S.D.D.V. Rughooputh, D. Bloor, D. Phillips, R. Jankowiak, L. Schütz and H. Bässler 125 (1988) 355
- Polymers*
- Simulations on soliton dynamics in polyacetylene systems, F. Chien, Y. Kashimori, K. Nishimoto and O. Tanimoto 125 (1988) 269
- Surfaces*
- Van der Waals coefficients for molecules adsorbed on metal surfaces, C. Girard, C. Girardet and B. Silvi 125 (1988) 261
- Dielectrics*
- Inertial effects in the theory of dielectric and Kerr effect relaxation of an assembly of non-interacting polar molecules in strong alternating fields. II. The effect of higher-order terms in the distribution function, W.T. Coffey, S.G. McGoldrick and K.P. Quinn 125 (1988) 99
- Microscopic systems**
- Molecules (neutral and ionic)*
- Orientationally averaged single- and multi-photon spectra. An application to molecules interacting with a static electric field, R.A. Thuraisingham and W.J. Meath 125 (1988) 129
- Biomolecules in the gas phase. V. Small peptides investigated by multiphoton mass spectrometry, K. Walter, J. Lindner, J. Grotemeyer and E.W. Schlag 125 (1988) 155
- Alignment measurements using one, two or three photons, M.P. Docker 125 (1988) 185
- Comparison of the electron-acceptor properties of nitrogen and phosphorous benzene derivatives by means of electron transmission spectroscopy and MS X α calculations, A. Modelli, G. Distefano, M. Guerra, D. Jones and S. Rossini 125 (1988) 389
- NO(X²II) rotational distributions from the photodissociation of NOCl and NOBr at 450 and 470 nm, A. Ticktin, A.E. Bruno, U. Brühlmann and J.R. Huber 125 (1988) 403

- Momentum transfer and total differential cross sections in the impulsive Na^+-N_2 and Na^+-CO collisions, S. Kita, H. Tanuma and M. Izawa 125 (1988) 415
- diatomic*
- Symmetry and spin density functional theory, B.I. Dunlap 125 (1988) 89
- Extended Langevin model for rate constant calculations of exothermic atom-diatom reactions. Application to $\text{O}+\text{OH}$, J. Davidsson and G. Nyman 125 (1988) 171
- A study of the reliability of different many-body methods: potential energy curve for the ground state of Be_2 , I. Černušák, J. Noga, G.H.F. Diercksen and A.J. Sadlej 125 (1988) 255
- Luminescence of metastable $^{16}\text{O}_2$ ($^{18}\text{O}_2$) in solid argon: relaxation and energy transfer, A.C. Becker, U. Schurath, H. Dubost and J.P. Galaup 125 (1988) 321
- $\text{CO}(\text{d}^3\Delta_1-\text{a}^3\Pi_r, \text{e}^3\Sigma^--\text{a}^3\Pi_r, \text{a}'^3\Sigma^+-\text{a}^3\Pi_r)$ emissions resulting from the energy-transfer reaction between metastable $\text{Xe}(^3\text{P}_2)$ atoms and CO at thermal energy, M. Tsuji, K. Yamaguchi and Y. Nishimura 125 (1988) 337
- Momentum transfer and total differential cross sections in the impulsive Na^+-N_2 and Na^+-CO collisions, S. Kita, H. Tanuma and M. Izawa 125 (1988) 415
- small polyatomics*
- Theoretical studies on the two-photon vibronic spectra of azines: pyridine, pyrazine and pyrimidine, E. Venuti and G. Marconi 125 (1988) 1
- Infrared spectrum of cyclopropylamine, Y. Hamada, M. Tsuboi, I. Ikeda, M. Nakata and M. Tasumi 125 (1988) 45
- Infrared spectrum of isopropylamine, Y. Hamada, M. Tsuboi, M. Nakata and M. Tasumi 125 (1988) 55
- An ab initio prediction of structures and vibrational frequencies of high-energy rotamers of glyoxal and acrolein, Ch.W. Bock, Yu.N. Panchenko and S.V. Krasnoshchiokov 125 (1988) 63
- Scaled quantum mechanical calculations of the vibrational structure of thiirane, thiirene, and their deuterated isotopomers, J.S. Alper, H. Dothe and M.A. Lowe 125 (1988) 77
- Spectra and structure of small ring compounds. L. Microwave spectrum of cyclobutylgermane, J.R. Durig, T.J. Geyer, P. Groner and M. Dakkouri 125 (1988) 299
- Absolute dipole oscillator strengths for photoabsorption and the molecular and dissociative photoionization of acetylene, G. Cooper, T. Ibuki, Y. Iida and C.E. Brion 125 (1988) 307
- Photofragment investigations of the 280 nm photodissociation of methyl iodide using REMPI I atom detection, J.F. Black and I. Powis 125 (1988) 375
- $\text{NO}(X^2\Pi)$ rotational distributions from the photodissociation of NOCl and NOBr at 450 and 470 nm, A. Ticktin, A.E. Bruno, U. Brühlmann and J.R. Huber 125 (1988) 403
- The dissociative electroionization of ammonia and ammonia- d_3 . II. The H^+ and H_2^+ dissociation channels, R. Locht, Ch. Servais, M. Ligot, M. Davister and J. Momigny 125 (1988) 425
- aromatics*
- Local-mode analysis of radiationless triplet decay in condensed aromatic hydrocarbons, O.S. Mortensen, W. Siebrand and A.W. Tarr 125 (1988) 231
- polymeric and biological*
- Interpolation formula for physical properties of polypeptides as a function of the number of amino acid residues, L. Skála and P. Pančoška 125 (1988) 21
- Fluorescence studies of polydiacetylenes in 2-methyltetrahydrofuran vitreous glasses at low temperatures, S.D.D.V. Rughooputh, D. Bloor, D. Phillips, R. Jankowiak, L. Schütz and H. Bässler 125 (1988) 355

*Molecular aggregates**-van der Waals molecules*

- Microwave spectrum of the $\text{CH}_3\text{OH}-\text{NH}_3$ complex, G.T. Fraser, R.D. Suenram, F.J. Lovas and W.J. Stevens 125 (1988) 31

- Ab initio calculations on the structure of the benzene dimer, P. Čársky, H.L. Selzle and E.W. Schlag 125 (1988) 165

-complexes

- Microwave spectrum of the $\text{CH}_3\text{OH}-\text{NH}_3$ complex, G.T. Fraser, R.D. Suenram, F.J. Lovas and W.J. Stevens 125 (1988) 31

- Ab initio calculations on the structure of the benzene dimer, P. Čársky, H.L. Selzle and E.W. Schlag 125 (1988) 165

Free radicals (including hydronium and muonium)

- Extended Langevin model for rate constant calculations of exothermic atom-diatom reactions. Application to $\text{O}+\text{OH}$, J. Davidsson and G. Nyman 125 (1988) 171

- An ESR investigation of the dynamical behavior of the cyclopentane cation in CF_3CCl_3 , L. Sjöqvist, A. Lund and J. Maruani 125 (1988) 293

- Quenching of the translationally hot and thermalized $\text{NH}(\text{c}^1\Pi)$ radicals by simple molecules, H. Umemoto, J. Kikuma and S. Tsunashima 125 (1988) 397

Defects and impurities

- Luminescence of metastable $^{16}\text{O}_2$ ($^{18}\text{O}_2$) in solid argon: relaxation and energy transfer, A.C. Becker, U. Schurath, H. Dubost and J.P. Galaup 125 (1988) 321

PHENOMENA*Molecular structure*

- An ab initio prediction of structures and vibrational frequencies of high-energy rotamers of glyoxal and acrolein, Ch.W. Bock, Yu.N. Panchenko and S.V. Krasnoshchiokov 125 (1988) 63

- A study of the reliability of different many-body methods: potential energy curve for the ground state of Be_2 , I. Černušák, J. Noga, G.H.F. Dierksen and A.J. Sadlej 125 (1988) 255

- An ESR investigation of the dynamical behavior of the cyclopentane cation in CF_3CCl_3 , L. Sjöqvist, A. Lund and J. Maruani 125 (1988) 293

- Spectra and structure of small ring compounds. L. Microwave spectrum of cyclobutylgermane, J.R. Durig, T.J. Geyer, P. Groner and M. Dakkouri 125 (1988) 299

- $\text{NO}(\text{X}^2\Pi)$ rotational distributions from the photodissociation of NOCl and NOBr at 450 and 470 nm, A. Tickin, A.E. Bruno, U. Brühlmann and J.R. Huber 125 (1988) 403

Vibrations and rotations of molecules

- Infrared spectrum of cyclopropylamine, Y. Hamada, M. Tsuboi, I. Ikeda, M. Nakata and M. Tasumi 125 (1988) 45

- Infrared spectrum of isopropylamine, Y. Hamada, M. Tsuboi, M. Nakata and M. Tasumi 125 (1988) 55

- An ab initio prediction of structures and vibrational frequencies of high-energy rotamers of glyoxal and acrolein, Ch.W. Bock, Yu.N. Panchenko and S.V. Krasnoshchiokov 125 (1988) 63

- Scaled quantum mechanical calculations of the vibrational structure of thiirane, thiirene, and their deuterated isotopomers, J.S. Alper, H. Dothe and M.A. Lowe 125 (1988) 77

- Momentum transfer and total differential cross sections in the impulsive Na^+-N_2 and Na^+-CO collisions, S. Kita, H. Tanuma and M. Izawa 125 (1988) 415
- Electronic structure and states*
- Interpolation formula for physical properties of polypeptides as a function of the number of amino acid residues, L. Skála and P. Pančoška 125 (1988) 21
- Orientationally averaged single- and multi-photon spectra. An application to molecules interacting with a static electric field, R.A. Thuraisingham and W.J. Meath 125 (1988) 129
- Fluorescence studies of polydiacetylenes in 2-methyltetrahydrofuran vitreous glasses at low temperatures, S.D.D.V. Rughooputh, D. Bloor, D. Phillips, R. Jankowiak, L. Schütz and H. Bässler 125 (1988) 355
- Comparison of the electron-acceptor properties of nitrogen and phosphorous benzene derivatives by means of electron transmission spectroscopy and MS $X\alpha$ calculations, A. Modelli, G. Distefano, M. Guerra, D. Jones and S. Rossini 125 (1988) 389
- Spin splittings*
- Symmetry and spin density functional theory, B.I. Dunlap 125 (1988) 89
- Optical activity*
- Interpolation formula for physical properties of polypeptides as a function of the number of amino acid residues, L. Skála and P. Pančoška 125 (1988) 21
- Molecular interactions*
- Microwave spectrum of the $\text{CH}_3\text{OH}-\text{NH}_3$ complex, G.T. Fraser, R.D. Suenram, F.J. Lovas and W.J. Stevens 125 (1988) 31
- Ab initio calculations on the structure of the benzene dimer, P. Čársky, H.L. Selzle and E.W. Schlag 125 (1988) 165
- The infinite dilution activity coefficient of ions in a solvent of polarizable hard spheres, F. Grządzi 125 (1988) 247
- Spectral bandshapes and intensities*
- Absolute dipole oscillator strengths for photoabsorption and the molecular and dissociative photoionization of acetylene, G. Cooper, T. Ibuki, Y. Iida and C.E. Brion 125 (1988) 307
- Coupling of electronic and nuclear motion*
- Theoretical studies on the two-photon vibronic spectra of azines: pyridine, pyrazine and pyrimidine, E. Venuti and G. Marconi 125 (1988) 1
- Energy transfer processes*
- Luminescence of metastable $^{16}\text{O}_2$ ($^{18}\text{O}_2$) in solid argon: relaxation and energy transfer, A.C. Becker, U. Schurath, H. Dubost and J.P. Galaup 125 (1988) 321
- $\text{CO}(\text{d}^3\Delta-\text{a}^3\Pi, \text{e}^3\Sigma^--\text{a}^3\Pi, \text{a}^1\Sigma^+-\text{a}^3\Pi_r)$ emissions resulting from the energy-transfer reaction between metastable $\text{Xe}(^3\text{P}_2)$ atoms and CO at thermal energy, M. Tsuji, K. Yamaguchi and Y. Nishimura 125 (1988) 337
- Fluorescence studies of polydiacetylenes in 2-methyltetrahydrofuran vitreous glasses at low temperatures, S.D.D.V. Rughooputh, D. Bloor, D. Phillips, R. Jankowiak, L. Schütz and H. Bässler 125 (1988) 355

- Quenching of the translationally hot and thermalized $\text{NH}(\text{c}^1\Pi)$ radicals by simple molecules, H. Umemoto, J. Kikuma and S. Tsunashima 125 (1988) 397
- Molecular photophysical processes*
- Orientationally averaged single- and multi-photon spectra. An application to molecules interacting with a static electric field, R.A. Thuraishingham and W.J. Meath 125 (1988) 129
- Intramolecular dynamics*
- Effect of solvent polarity and viscosity on the decay dynamics of an intramolecular charge-transfer complex: 4-dicyanomethylene-1,2,3,4-tetrahydromethylquinoline, A. Safarzadeh-Amiri 125 (1988) 145
- An ESR investigation of the dynamical behavior of the cyclopentane cation in CF_3CCl_3 , L. Sjöqvist, A. Lund and J. Maruani 125 (1988) 293
- Photofragment investigations of the 280 nm photodissociation of methyl iodide using REMPI I atom detection, J.F. Black and I. Powis 125 (1988) 375
- radiationless transitions*
- Local-mode analysis of radiationless triplet decay in condensed aromatic hydrocarbons, O.S. Mortensen, W. Siebrand and A.W. Tarr 125 (1988) 231
- Luminescence spectra, yields and lifetimes*
- Effect of solvent polarity and viscosity on the decay dynamics of an intramolecular charge-transfer complex: 4-dicyanomethylene-1,2,3,4-tetrahydromethylquinoline, A. Safarzadeh-Amiri 125 (1988) 145
- Luminescence of metastable $^{16}\text{O}_2$ ($^{18}\text{O}_2$) in solid argon: relaxation and energy transfer, A.C. Becker, U. Schurath, H. Dubost and J.P. Galaup 125 (1988) 321
- Electron-impact-induced light emission from CBr_4 , CHBr_3 and CFBr_3 , I. Tokue and Y. Ito 125 (1988) 347
- Coherence loss processes*
- Diagrammatic density matrix analysis of the Raman photon echo, K. Wynne, M. Müller, D. Brandt and J.D.W. van Voorst 125 (1988) 211
- Non-linear responses (including optical)*
- Inertial effects in the theory of dielectric and Kerr effect relaxation of an assembly of non-interacting polar molecules in strong alternating fields. II. The effect of higher-order terms in the distribution function, W.T. Coffey, S.G. McGoldrick and K.P. Quinn 125 (1988) 99
- Orientationally averaged single- and multi-photon spectra. An application to molecules interacting with a static electric field, R.A. Thuraishingham and W.J. Meath 125 (1988) 129
- Multiphoton phenomena*
- Theoretical studies on the two-photon vibronic spectra of azines: pyridine, pyrazine and pyrimidine, E. Venuti and G. Marconi 125 (1988) 1
- Orientationally averaged single- and multi-photon spectra. An application to molecules interacting with a static electric field, R.A. Thuraishingham and W.J. Meath 125 (1988) 129
- Biomolecules in the gas phase. V. Small peptides investigated by multiphoton mass spectrometry, K. Walter, J. Lindner, J. Grotemeyer and E.W. Schlag 125 (1988) 155
- Alignment measurements using one, two or three photons, M.P. Docker 125 (1988) 185

Reactions (including dissociation)

- The dissociative electroionization of ammonia and ammonia- d_3 . II. The H^+ and H_2^+ dissociation channels, R. Locht, Ch. Servais, M. Ligot, M. Davister and J. Momigny 125 (1988) 425

-gas phase

- Biomolecules in the gas phase. V. Small peptides investigated by multiphoton mass spectrometry, K. Walter, J. Lindner, J. Grotemeyer and E.W. Schlag 125 (1988) 155
- Extended Langevin model for rate constant calculations of exothermic atom-diatom reactions. Application to $O+OH$, J. Davidsson and G. Nyman 125 (1988) 171
- Mass effect in quantum mechanical collision-induced dissociation in collinear reactive atom-diatom molecule collisions, J.A. Kaye and A. Kuppermann 125 (1988) 279
- Electron-impact-induced light emission from CBr_4 , $CHBr_3$ and $CFBr_3$, I. Tokue and Y. Ito 125 (1988) 347
- Photofragment investigations of the 280 nm photodissociation of methyl iodide using REMPI I atom detection, J.F. Black and I. Powis 125 (1988) 375
- Comparison of the electron-acceptor properties of nitrogen and phosphorous benzene derivatives by means of electron transmission spectroscopy and MS $X\alpha$ calculations, A. Modelli, G. Distefano, M. Guerra, D. Jones and S. Rossini 125 (1988) 389
- $NO(X^2\Pi)$ rotational distributions from the photodissociation of $NOCl$ and $NOBr$ at 450 and 470 nm, A. Ticktin, A.E. Bruno, U. Brühlmann and J.R. Huber 125 (1988) 403

-photochemical

- Quenching of the translationally hot and thermalized $NH(c^1\Pi)$ radicals by simple molecules, H. Umemoto, J. Kikuma and S. Tsunashima 125 (1988) 397

Electron transfer

- Charge ordering in mixed-valence coordination compounds, S.I. Klokishner and B.S. Tsukerblat 125 (1988) 11

Ionization (including Rydberg states)

- Absolute dipole oscillator strengths for photoabsorption and the molecular and dissociative photoionization of acetylene, G. Cooper, T. Ibuki, Y. Iida and C.E. Brion 125 (1988) 307
- The dissociative electroionization of ammonia and ammonia- d_3 . II. The H^+ and H_2^+ dissociation channels, R. Locht, Ch. Servais, M. Ligot, M. Davister and J. Momigny 125 (1988) 425

Molecular motion (including diffusive)

- Inertial effects in the theory of dielectric and Kerr effect relaxation of an assembly of non-interacting polar molecules in strong alternating fields. II. The effect of higher-order terms in the distribution function, W.T. Coffey, S.G. McGoldrick and K.P. Quinn 125 (1988) 99
- Inertial effects in the theory of dielectric and Kerr effect relaxation. III. Assemblies of non-dipolar anisotropically polarizable molecules in alternating and pulsed fields, W.T. Coffey, S.G. McGoldrick and P.J. Cregg 125 (1988) 119

Isotopic effects

- The dissociative electroionization of ammonia and ammonia- d_3 . II. The H^+ and H_2^+ dissociation channels, R. Locht, Ch. Servais, M. Ligot, M. Davister and J. Momigny 125 (1988) 425

Collective motion and excitations

- Simulations on soliton dynamics in polyacetylene systems, F. Chien, Y. Kashimori,
K. Nishimoto and O. Tanimoto 125 (1988) 269

Surface effects and catalysis

- Van der Waals coefficients for molecules adsorbed on metal surfaces, C. Girard, C. Girardet
and B. Silvi 125 (1988) 261

Phase transitions

- Charge ordering in mixed-valence coordination compounds, S.I. Klokishner and
B.S. Tsukerblat 125 (1988) 11
- Inertial effects in the theory of dielectric and Kerr effect relaxation. III. Assemblies of non-
dipolar anisotropically polarizable molecules in alternating and pulsed fields,
W.T. Coffey, S.G. McGoldrick and P.J. Cregg 125 (1988) 119